

DE BETHUNE

DB28 Maxichrono Titane

Press Release, Geneva 2015



DB28 Maxichrono Titanium

The contemporary expression of a time-measuring instrument

In every new creation by De Bethune, the company's founders, David Zanetta and Denis Flageollet perform a balancing act. It involves recombining age-old expertise and the styles of the Age of Enlightenment in a contemporary creation of new materials and technical innovations. By imagining what the great watchmakers of the 18th century would have made today, they lay the foundations of tomorrow's watchmaking. They dismantle preconceptions to extend the frontiers of knowledge. They discover and explore the new horizons of science and technology, yet return to the mechanical and artistic essentials.

The construction and the aesthetic of the DB28 Maxichrono proudly illustrate the simplicity of the initial approach adopted by the brand founders.

Creating an accurate and readable chronograph within the confined space of a wristwatch: such was the leitmotif that drove seven years of research and development.

Showcasing extreme dial clarity and ultra-legible chronograph indications by means of its five central hands, this innovative chronograph is also equipped with a high-frequency calibre featuring optimised chronometric precision applied to the measurement of long periods of time. The single pusher at 12 o'clock preserves the comfortable design of the DB28 collection's characteristic case.

Stemming from an unusual combination between the round shapes of the case and the fine, flexible lines of the lugs*, together with the association of materials such as hand-polished titanium on the case and lugs, along with polished and blued steel**, this compendium of innovations and patents subtly mingles classicism and modernity in terms of its design as well as its technical construction.

A mono-pusher chronograph with 5 central hands

This chronograph owes its dial architecture, built around five central hands, to a deliberate desire to improve on the aesthetic and functional readability of traditional chronographs, which is often impaired by the presence of small counters. The curves of the distinctively profiled hands closely follow the rounded contours of the silver-toned dial.

The present time is read off by means of openworked indicators in polished and blued steel** featuring a contemporary design. Each hand points to blue numerals in a modern font, of which the distinctive character is accentuated by their volumes and colours.

Meanwhile, elapsed time is measured in a more traditional manner by means of blued steel** hands for the hours and seconds, and pink gold for the minutes. Numbering inspired by marine chronometers facilitates the classic reading of the chronograph indications.

The DB28 Maxichrono is above all a contemporary chronograph featuring a mono-pusher/12 o'clock crown tandem that controls the central hands remarkably mounted on the same axis according to vertical sequence of nested gear trains and pillars representing an impressive technical feat!

* patented floating lugs system that adapts to wrist size and movements

** the ancestral flame-blueing technique

DE BETHUNE

Measuring long periods of time: 23 hours 59 minutes and 59 seconds

This instrument designed for measuring long periods of time is equipped with 60-unit seconds and minutes chronograph indications, and a 24-hour display based on a concentric system.

Chronometric precision: Calibre DB2039

=> Silicon/white gold annular balance

The frequency of this in-house balance wheel is well suited to wristwatches, which are subject to abrupt wrist movements.

=> 3 column wheels

The back of the watch, providing a window on the movement, features a pared-down, architectural arrangement of the hand-polished bridges of Calibre 2030, in which the complex mechanism of an innovative chronometric system is notably distinguished by its three column wheels.

=> The De Bethune absolute clutch

De Bethune total clutch system: a patented chronograph invention.

De Bethune's research and development department has announced the filing of a patent application n° CH00076/14 for the chronograph mechanism. De Bethune's absolute clutch aims to improve the performance of chronographs by correcting the faults identified in current mechanisms.

This mechanism makes the most of the advantages of the horizontal and vertical clutch systems while eliminating their faults. It thus benefits from a marked reduction in the friction that affects the movement both when the chronograph is running and when it is functioning without the chronograph engaged.

The absolute clutch operates in a system engaging the two traditional clutch methods to allow the different chronograph counters to function semi-autonomously:

- The chronograph seconds are governed by the new absolute clutch system;
- The minutes counter is controlled by a shifting pinion;
- The hours counter is engaged by a horizontal clutch.

Three different types of clutch behind three semi-independent systems controlled by three column-wheels thus govern the different chronograph elapsed-time counters.

In this way De Bethune marks a significant technological breakthrough in the history of chronographs, the result of continuous research heralded by the DB21 Maxichrono in 2006. Constant innovation relying on an extensive knowledge of age-old expertise has enabled the brand to simplify and enhance the reliability of the absolute clutch system so that it can be implemented in a movement manufactured by the production workshops in the Swiss village of L'Auberson.


Contact
press@debethune.com



De_Bethune

DE BETHUNE

MECANISME DE CHRONOGRAPHE DB



DE BETHUNE

DB28 Maxichrono

Technical specifications

Name:	DB28 Maxichrono
Reference:	DB28MCTN / S
Limitation:	Limited annual production of 20 pieces
Functions:	Hours, Minutes, Mono-pusher chronograph with 24 hours, 60 minutes, 60 seconds
Movement:	DB2030
Type:	Mechanical hand-wound movement
Adjustment:	By the crown (2 positions) for winding and setting the time Via a push-piece integrated in the crown for the chronograph function

Technical features of calibre DB2030

Number of parts:	426
Jewelling:	51 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Silicon annular balance encircled by a white gold ring <i>De Bethune Patent (2010)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel "De Bethune Absolute Clutch " <i>De Bethune Patent (2014)</i>
Frequency:	36,000 vibrations per hour
Adornment:	Bridges mirror-polished, sandblasted and snailed by hand Steel parts polished and chamfered by hand

DE BETHUNE

Display

Display:	5 curved central hands – hand-polished and flame-blued steel for hours and minutes hands and chronograph and seconds indicators – chronograph minutes indicator in rose gold
Dial:	Three dimensional silver dial constructed on different levels to maximize readability. From the center to the periphery: central hours counter – hour ring – minutes ring and minutes counter – 1/10 th of second graduated outer ring for seconds counter Flame-blued, polished steel Arabic relief as hour markers

Case and strap

Case material:	Mirror-polished grade 5 titanium
Case diameter:	46 mm
Case thickness:	11 mm
Lugs:	short or long floating lugs in mirror-polished grade 5 titanium - <i>De Bethune Patent (2006)</i>
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open on the mechanism with bridges and hand-polished steel parts Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in mirror-polished grade 5 titanium

